

TR 635_{top}



TERMINA


1-channel 7 day timer







Safety Information


The connection and installation of electrical appliances must be performed by a skilled electrician only. Any intervention into or modifications to the appliance shall lead to the lapse of all warranty rights. Comply with your national regulations and all relevant safety stipulations.










Technical data









info


Effect of the cycle program:

The clocking and pause times can be set separately. The settable times are max. 99 minutes and 59 seconds. The cycle program has the effect that between two programmed times, day of week start and day of week finish, the cycle program is active. The cycle program always begins with a

switch on.

16 memory locations are available to you.

The symbol III flashes when the cycle program



Monday 7.30 h ON

Example cycle finish:


info

Viewing the cycle times:
Possible in the menu Cycle only!
N.B.: If two cycle times are programmed in which the start and finish times overlap, it is always the cycle time that starts first that is executed

Example: Cycle time 1, programmed from: Mo to Thu
Cycle time 2, programmed from: Tue to Fri.
Only cycle time 1 is effective, cycle time 2 is not accepted.

Cycle program

Cyclically recurring time functions within the scope of a timer, e.g.: slow flashing indicator, water treatment, advertisement lighting



OK

Brightness variations at lighting installations may arise in the cycling mode. In this case actions to reduce these effects have to be taken (for example reduction of the load or extension of the cycle time).

More than five switching operations per minute are not admissible without additional EMC interference measures.

Select by pressing the MENU key Cycle. Store your selection by pressing twice the $\overline{\mbox{OK}}$ key. Set cycle **start** by pressing the keys $\,\oplus\,$ or $\,\ominus\,$. Store your selection by pressing the $\overline{\mbox{OK}}$ key. Set cycle **duration** (Min./sec.) by pressing the keys $\,\oplus\,$ or $\,\ominus\,$. Store your selection by pressing the OK key. Set cycle pause~~(Min./sec.) by pressing the keys $~\oplus~$ or $~\ominus~$ Store your selection by pressing the OK key. Set cycle **finish** by pressing the keys $\,\oplus\,$ or $\,\ominus\,$. Store your selection by pressing the $\overline{\mbox{OK}}$ key.

