

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2018

Version number 5 Revision: 14.06.2018 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Neo-Fermit Universal 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Sealant · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Fermit GmbH Zur Heide 4. D- 53560 Vettelschoß www.fermit.de · Informing department: Tel.: +49 (0) 2645-2207 Fax: +49 (0) 2645-3113 Email: info@fermit.de · 1.4 Emergency telephone number: Phone +49 (0) 2645-2207 (Office hours 7:00 - 15:30) SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 Void · Hazard pictograms Void · Signal word Void · Hazard statements Void · 2.3 Other hazards · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Sealing paste of oil mixes and fillers. The filler used is asbestos-free.

 Dangerous components: 		
CAS: 14807-96-6 EINECS: 238-877-9	Talc (Mg3H2(SiO3)4) substance with a Community workplace exposure limit	25 - 50%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27-X	White mineral oil, petroleum	25 - 50%
CAS: 8002-74-2 EINECS: 232-315-6 Reg.nr.: 01-2119488076-30-X	Paraffin waxes and Hydrocarbon waxes substance with a Community workplace exposure limit	≥ 2.5 - < 10%
		(Contd. on page 2)

Printing date 14.06.2018

Version number 5

Revision: 14.06.2018

Trade name: Neo-Fermit Universal

CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) substance with a Community workplace exposure limit	Contd. from page 1) ≥ 2.5 - < 10%
CAS: 637-12-7 EINECS: 211-279-5	aluminium tristearate, pure substance with a Community workplace exposure limit	≥ 0.1 - < 2.5%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- After inhalation Inhalation is not considered a potential way of exposure.
- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Seek medical treatment.
- · After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3** Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents
- The product itself does not burn.
- Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents Not applicable.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- The usual precautionary measures should be adhered to general rules for handling chemicals.
- · 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Collect mechanically.
- 6.4 Reference to other sections No dangerous materials are released.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly. Avoid contact with eyes and skin.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by storerooms and containers: Keep container tightly closed.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2018

Version number 5

Revision: 14.06.2018

Trade name: Neo-Fermit Universal

· 7.3 Specific end use(s) No further relevant information available.

(Contd. from page 2)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Componente with limit	aluas that require monitoring at the workplace		
	alues that require monitoring at the workplace:		
14807-96-6 Talc (Mg3H2(SiO3)4)		
WEL (Great Britain)	Long-term value: 1 mg/m ³		
8002-74-2 Paraffin waxes and Hydrocarbon waxes			
WEL (Great Britain) Short-term value: 6 mg/m ³			
	Long-term value: 2 mg/m ³		
14808-60-7 Quartz (SiO2)	14808-60-7 Quartz (SiO2)		
BOELV (European Union)	Long-term value: 0.1* mg/m ³		
	*respirable fraction		
637-12-7 aluminium triste	earate, pure		
WEL (Great Britain)	Long-term value: 2 mg/m ³		
Additional information:	The lists that were valid during the compilation were used as basis.		
· 8.2 Exposure controls			
Personal protective equi			
 General protective and h 			
	neasures should be adhered to general rules for handling chemicals.		
• Breathing equipment: No	ot required.		
Protection of hands:			
preparation.	be impermeable and resistant to the product/ the substance/ the		
Due to missing tests no recommendation to the glove material can be given for the product/ the			
preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation			

In case of longer or repeated contact with the skin: use protective cream for the skin surfaces coming into contact with the product.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be for

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- Eye protection: Not required.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties		
 9.1 Information on basic General Information Appearance: 	physical and chemical properties	
Form:	Pasty	
Colour:	Light grey	
· Odour:	odourless	
		(Contd. on page 4)

Printing date 14.06.2018

Version number 5

Revision: 14.06.2018

Trade name: Neo-Fermit Universal

	(Contd. from pag	je 3
 Change in condition Melting point/freezing point: Initial boiling point and boiling ratio 	Not determined ange: Not determined	
· Flash point:	Not applicable	
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
· Density	Not determined	
 Solubility in / Miscibility with Water: 9.2 Other information 	Insoluble No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

8042-47-5 White mineral oil, petroleum

		· · · · · · · · · · · · · · · · · · ·
Oral	LD50	> 5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	> 2,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50	> 5 mg/l/4h (rat) (OECD 403)

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

8042-47-5 White mineral oil, petroleum

Oral NOAEL (90d) > 1,900 mg/kg bw/day (rat) (OECD 408)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

[·] Repeated dose toxicity

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2018

Version number 5

Revision: 14.06.2018

Trade name: Neo-Fermit Universal

(Contd. from page 4)

	ON 12: Ecological information
· 12.1 Tox	•
· Aquatic	-
	5 White mineral oil, petroleum
	atic) > 100 mg/l/48h (Daphnia magna) (OECD 202)
•	atic) > 1,000 mg/l/96h (Oncorhynchus mykiss) (OECD 203)
•	atic) > 100 mg/l/72h (Pseudokirchneriella subcapitata)
	sistence and degradability No further relevant information available.
	formation:
	uct is slightly biodegradable. dability is not probable due to the consistency as well as the low degree of water solubility
of the pro	
· 12.3 Bio	accumulative potential No further relevant information available.
	<i>bility in soil</i> No further relevant information available.
	al ecological information:
· General Water ha	izard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
	low undiluted product or large quantities of it to reach ground water, water bodies or
sewage s	system.
	ults of PBT and vPvB assessment
	t applicable.
	ot applicable. er adverse effects No further relevant information available.
1210 041	
SECH	ON 13: Disposal considerations
	•
· 13.1 Wa	ON 13: Disposal considerations ste treatment methods mendation
· 13.1 Was · Recomn	ste treatment methods
• 13.1 Wa s • Recomn The wast product.	ste treatment methods nendation te code numbers mentioned are recommendations based on the probable use of the
• 13.1 Wa s • Recomn The wast product. Smaller o	ste treatment methods nendation e code numbers mentioned are recommendations based on the probable use of the quantities can be disposed with household waste.
• 13.1 Was • Recomm The wast product. Smaller o • Europea	ste treatment methods mendation e code numbers mentioned are recommendations based on the probable use of the quantities can be disposed with household waste. n waste catalogue
• 13.1 Was • Recomm The wast product. Smaller o • Europea	ste treatment methods mendation e code numbers mentioned are recommendations based on the probable use of the quantities can be disposed with household waste. <i>n waste catalogue</i> WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU)
• 13.1 Was • Recomm The wast product. Smaller o • Europea	ste treatment methods mendation e code numbers mentioned are recommendations based on the probable use of the quantities can be disposed with household waste. <i>n waste catalogue</i> WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES,
• 13.1 Was • Recomm The wast product. Smaller o • Europea 08 00 00	ste treatment methods mendation e code numbers mentioned are recommendations based on the probable use of the quantities can be disposed with household waste. <i>n waste catalogue</i> WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
• 13.1 Was • Recomm The wast product. Smaller o • Europea 08 00 00	ste treatment methods mendation e code numbers mentioned are recommendations based on the probable use of the quantities can be disposed with household waste. <i>n waste catalogue</i> WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES,

· Recommendation:

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	

Printing date 14.06.2018

Version number 5

Revision: 14.06.2018

Trade name: Neo-Fermit Universal

	(Contd. from page
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

· Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

 Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2018

Version number 5

Revision: 14.06.2018

Trade name: Neo-Fermit Universal

vPvB: very Persistent and very Bioaccumulative
Asp. Tox. 1: Aspiration hazard – Category 1
* *Data compared to the previous version altered.*

(Contd. from page 6)

GB