

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version: 2.0, ID-No.: 24130-b-01 GB-GB Page 1/8

SECTION 1: Identification of the substance/mixture and of the company

1.1. Product identifier: TYFOCOR® L

ready mixed 45.3 vol. %, frost protection -30.0 °C

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Antifreeze and anti-corrosion fluid for thermotechnical systems

1.3. Details of the supplier of the safety data sheet

Company: TYFOROP Chemie GmbH, Anton-Rée-Weg 7, D-20537 Hamburg

Telephone/Telefax: Tel.: +49 (0)40 20 94 97 0, Fax: +49 (0)40 20 94 97 20 msds@tyfo.de (E-Mail address of person responsible for SDS)

1.4. Emergency telephone number: Tel.: +49 (0)551-19240 GIZ-Nord Poison Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Classification according to Directive 67/548/EEC [DSD] / 1999/45/EC [DPD]
The product is not subject to classification	Possible hazards: No particular hazards known

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

The product is not subject to labelling.

2.3. Other hazards: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical nature: Aqueous solution of Propane-1,2-diol (propylene glycol) with inhibitors.

Hazardous components

Substanve / REACH	Content	CAS	EC	INDEX	Classification	Classification
registration number		number	number	number	acc. CLP	acc. DSD
Sodium benzoate	≥0.1% - <1%	532-32-1	208-534-8	-	Eye Irrit. 2, H319	Xi, R36
Borax decahydrate 01-2119490790-32	≥0.1% - <1%	1303-96- 4	215-540-4	005-011- 01-1		T, Xi, Repr. Cat. 2, R61, R60, R36

The full text of the abbreviations is listed in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Protection of first-aiders: No special precautions are necessary for first aid responders.

I **If inhaled:** If inhaled, remove to fresh air. Get medical attention if symptoms occur.

On skin contact: Wash thoroughly with soap and water. Get medical attention if symp-

toms occur.

I On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eye-

lids held open. Get medical attention if irritation develops and persists.

I **On ingestion:** Rinse mouth thoroughly with water. DO NOT induce vomiting. Get me-

dical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

I None known.

4.3. Indication of any immediate medical attention and special treatment needed

Revision date 01.12.2015

TYFOROP Safety Data Sheet Version: 2.0, ID-No.: 24130-b-01_GB-GB Revision date: 01.12.2015 Product: TYFOCOR® L - ready mixed 45.3 vol. %, frost protection -30.0 °C Page 2/8

SECTION 4: First aid measures - Continuation

Treatment: Symptomatic treatment (decontamination, vital functions), no known

specific antidote.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media: None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards during Exposure to combustion products may be a hazard to health.

firefighting:

equipment:

Hazardous combustion products: Carbon oxides.

5.3. Advice for fire-fighters

I Special protective In the event of fire, wear self-contained breathing apparatus. Use per-

sonal protective equipment.

Specific extinguishing
Use extinguishing measures that are appropriate to local circumstances
and the surrounding environment. Use water spray to cool unopened con-

and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

I Personal precautions: Use personal protective equipment. Follow safe handling advice and

personal protective equipment recommendations.

6.2. Environmental precautions

I Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Soak up with inert absorbent material. For large spills, provide dyking or

other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 provide information regarding certain local or natio-

nal requirements.

6.4. Reference to other sections: See sections 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

I **Technical measures:** See Engineering measures in section 8.
I **Local/total ventilation:** Use only with adequate ventilation.

I Advice on safe Handle in accordance with good industrial hygiene and safety practice.

handling: Take care to prevent spills, waste and minimize release to the environmt.

I Advice on protection against Observe the general rules of industrial fire protection.

fire and explosion:

When using denotes the winds are producted all things

Hygiene measures: When using do not eat, drink or smoke. Wash contaminated clothing be-

fore re-use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage Store containers tightly sealed in a cool, dry and well ventilated place.

areas and containers: Store in accordance with the particular national regulations.

TYFOROP Safety Data Sheet Version: 2.0, ID-No.: 24130-b-01_GB-GB Revision date: 01.12.2015 Product: TYFOCOR® L - ready mixed 45.3 vol. %, frost protection -30.0 °C Page 3/8

SECTION 7: Handling and storage - Continuation

Advice on common storage:

Do not store with strong oxidizing agents. Keep away from food, beverages and animal feedstuffs.

7.3. Specific end uses

For the relevant identified uses listed in section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure control/personal protection

8.1. Control parameters

Components with occupational exposure limits

Information on component Propane-1,2-diol, CAS No. 57-55-6

Legal basis	Value type	Control para-	Further information
		meters	
GB EH40	TWA (Particles)	10 mg/m ³	Where no specific short-term exposure limit
	TWA (Total vapour	10 mg/m ³	is listed, a figure three times the long-term
	and particles)	474 mg/m ³ , 150 ppm	exposure should be used.

Information on component Borax decahydrate

Legal basis	Value type	Control para- meters	Further information
GB EH40	AGW	5 mg/m ³	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used

DNEL values - information on component Propane-1,2-diol

End use	Exposure routes	Potential health effects	Value	
Workers	Inhalation	Long-term local effects	10 mg/m ³	
Workers	Inhalation	Long-term systemic effects	168 mg/m ³	
Consumers	Inhalation	Long-term local effects	10 mg/m ³	
Consumers	Inhalation	Long-term systemic effects	50 mg/m ³	

DNEL values - information on component Sodium benzoate

End use	Exposure	Potential health effects	Value
	routes		
Workers	Inhalation	Long-term local effects	6.3 mg/m ³
Workers	Skin contact	Long-term local effects	4.5 mg/cm ²
Workers	Inhalation	Long-term systemic effects	10.4 mg/m ³
Workers	Skin contact	Long-term systemic effects	34.7 mg/kg body weight/day
Consumers	Inhalation	Long-term local effects	1.3 mg/m ³
Consumers	Skin contact	Long-term local effects	2.7 mg/cm ²
Consumers	Ingestion	Long-term systemic effects	25 mg/kg body weight/day
Consumers	Inhalation	Long-term systemic effects	2.1 mg/m ³
Consumers	Skin contact	Long-term systemic effects	20.8 mg/kg body weight/day

DNEL values - information on component Borax decahydrate

End use	Exposure	Potential health effects	Value
	routes		
Workers	Inhalation	Acute - local effects	11.7 mg/m ³
Workers	Inhalation	Long-term local effects	11.7 mg/m ³
Workers	Inhalation	Long-term systemic effects	6.7 mg/m ³
Workers	Skin contact	Long-term systemic effects	316.4 mg/kg body weight/day
Consumers	Inhalation	Acute - local effects	11.7 mg/m ³
Consumers	Inhalation	Long-term local effects	11.7 mg/m ³
Consumers	Inhalation	Long-term systemic effects	3.4 mg/m ³
Consumers	Skin contact	Long-term systemic effects	159.5 mg/kg body weight/day
Consumers	Ingestion	Acute - local effects	0.79 mg/kg body weight/day
Consumers	Ingestion	Long-term systemic effects	0.79 mg/kg body weight/day

TYFOROP Safety Data Sheet Version: 2.0, ID-No.: 24130-b-01_GB-GB Revision date: 01.12.2015 Product: TYFOCOR® L - ready mixed 45.3 vol. %, frost protection -30.0 °C Page 4/8

SECTION 8: Exposure control/personal protection - Continuation

PNEC values - information on component Propane-1,2-diol

Fresh	Marine	Water (intermit-	Fresh water	Marine water	Soil	Sewage treat-
water	water	tent release)	sediment	sediment		ment plant
260 mg/l	26 mg/l	183 mg/l	572 mg/kg	57.2 mg/kg	50 mg/kg	20000 mg/l

PNEC values - information on component Borax decahydrate

Fresh water	Marine water	Water (intermit- tent release)	Fresh water sediment	Marine water sediment		Sewage treat- ment plant
2.02 mg/l	2.02 mg/l	13.7 mg/l	-	-	5.4 mg/kg	10 mg/l

8.2. Exposure controls

Engineering measures: Ensure adequate ventilation, especially in confined areas. Minimize work-

place exposure concentrations.

Personal protective equipment

Eye protection: Safety glasses with side-shields (frame goggles, e.g. EN 166).

Hand protection: Chemical resistant protective gloves (EN 374). Material: butyl rubber.

Protective index 6. Break through time: >480 minutes. Glove thickness: 0.7 mm. Material: nitrile rubber. Protective index 2. Break through time: >30 minutes. Glove thickness: 0.4 mm. Remarks: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the manufacturer. Wash

hands before breaks and at the end of workday.

Skin and body protection: Wash skin thoroughly after contact.

Respiratory protection: Use respiratory protection unless adequate local exhaust ventilation is

provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Filter type: Particulate type (P).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: liquid. Colour: blue.

Odour: almost odourless. Odour threshold: No data available.

 pH value (20 °C):
 7.5 - 8.5.
 (ASTM D 1287)

 Freezing point:
 ca. -26.2 °C.
 (ASTM D 1177)

 Frost protection:
 ca. -30.0 °C.
 (calculated)

 Solidification temperature:
 ca. -33.7 °C.
 (DIN ISO 3016)

 Initial boiling point/boiling range:
 >100 °C.
 (ASTM D 1120)

Flash point: not applicable. (DIN EN 22719, ISO 2719)

Evaporation rate:

No data available.

Flammability (solid, gas):

not applicable.

Upper explosion limit:12.6 % vol.(Inform. on Propylene glycol)Lower explosion limit:2.6 % vol.(Inform. on Propylene glycol)

Vapour pressure (20 °C): ca. 20 hPa. (calculated)

I Vapour density: No data available.

Density (20 °C): ca. 1.043 g/cm³. (DIN 51757)

Solubility: Water solubility: soluble.

Partition coefficient n-octanol/H₂O: log P₀w (20.5 °C): -1.07. (Inform. on Propylene glycol)

Auto-ignition temperature: No data available.

I **Decomposition temperature:** No data available.

Viscosity (kinematic, 20 °C): ca. 5.2 mm²/s. (DIN 51562)

Explosive properties: not explosive.

Oxidizing properties: not oxidizing.

9.2. Other Information: No other information.

TYFOROP Safety Data Sheet Version: 2.0, ID-No.: 24130-b-01_GB-GB Revision date: 01.12.2015 Product: TYFOCOR® L - ready mixed 45.3 vol. %, frost protection -30.0 °C Page 5/8

SECTION 10: Stability and reactivity

10.1. Reactivity: No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metals.

10.2. Chemical stability: The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazar-

10.4. Conditions to avoid:

dous reactions:

No conditions to avoid anticipated.

10.5. Incompatible materials: Substances to avoid: strong oxidising agents.

10.6. Hazardous decom-No hazardous decomposition products if stored and handled as pres-

position products: cribed/indicated.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation. Skin contact. Ingestion. Eye contact.

Acute toxicity: Not classified based on available information.

Information on component Sodium benzoate: Acute oral toxicity: LD50 (Rat): >2000 mg/kg. Assessmt.: The substance has no acute oral toxicity. Information on component Borax decahydrate: Acute oral toxicity: LD50 (Rat): 3450-4080 mg/kg. Acute inhalation toxicity: LC50 (Rat): >2.03 mg/l, exposure time: 4 hours, test atmosphere: dust, mist, method: OECD test guideline 403. Acute dermal toxicity: LD50 (Rat): >2000 mg/kg. As-

No hazardous reactions if stored and handled as prescribed/indicated.

sessment: The substance has no acute dermal toxicity.

I Skin corrosion/ Not classified based on available information.

irritation: Information on component Sodium benzoate: No skin irritation (Rabbit),

method: OECD test guideline 404.

Information on component Borax decahydrate: No skin irritation (Rabbit).

Serious eye damage/ Not classified based on available information.

eye irritation: Information on component Sodium benzoate: Irritation to eyes, rever-

sing within 7 days (Rabbit), method: OECD test guideline 405.

Information on component Borax decahydrate: Irritation to eyes, re-

versing within 21 days (Rabbit).

I **Respiratory or skin** Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

piratory sensitisation: Not classified based on available information. Information on component Sodium benzoate: Skin contact: not sensitising (Mouse, local lymph node assay (LLNA)). Remark: Based on da-

ta from similar materials.

Information on component Borax decahydrate: Skin contact: not sensitising (Guinea pig, Bühler Test), method: OECD test guideline 406.

Germ cell mutagenicity: Not classified based on available information.

Information on component Sodium benzoate: Genotoxicity in vitro: not mutagenic (Bacteria, Ames-Test), method: OECD test guideline 471. Genotoxicity in vivo: not mutagenic (Rat, in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis), applicat. route: ingestion. Information on component Borax decahydrate: Genotoxicity in vitro: not mutagenic (in vitro sister chromatid exchange assay in mammalian cells. Remark: Based on data from similar materials. Genotoxicity in vivo: not mutagenic (Mouse, mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)), application route: ingestion. Remark:

Based on data from similar materials.

Carcinogenicity: Not classified based on available information.

Information on component Borax decahydrate: not carcinogenic (Mouse), application route: ingestion, exposure time: 2 years. Remark: Based

on data from similar materials.

I Reproductive toxicity: Not classified based on available information.

Information on comp. Sodium benzoate: Effects on foetal development: negative (Mouse, embryo-foetal development), applicat. route: ingestion.

TYFOROP Safety Data Sheet Version: 2.0, ID-No.: 24130-b-01_GB-GB Revision date: 01.12.2015 Product: TYFOCOR® L - ready mixed 45.3 vol. %, frost protection -30.0 °C Page 6/8

SECTION 11: Toxicological information - Continuation

Information on component Borax decahydrate: Effects on fertility: positive (Rat, Three-generation reproduction toxicity study), application route: ingestion. Effects on foetal development: positive (Rat, embryo-foetal development), application route: ingestion. Reproductive toxicity - assessment: Clear evidence of adverse effects on development, based on animal experiments. Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

Specific target organ toxicity (single exposure):

Not classified based on available information.

Specific target organ toxicity (repeated exposure):

Not classified based on available information.

Repeated dose toxicity: Information on component Sodium benzoate: NOAEL (Rat): 905 mg/kg,

application route: ingestion, exposure time: 28 days.

Information on component Borax decahydrate: NOAEL (Rat): 100 mg/kg, LOAEL (Rat): 334 mg/kg, application route: ingestion, expos. time: 28 d.

Aspiration toxicity: Not classified based on available information.

SECTION 12: Ecological information

12.1. Toxicity

Information on component Sodium benzoate

Toxicity to	Value / exposure time	Species
fish	LC50: >100 mg/l / 96 h	Pimephales promelas (Fathead minnow)
daphnia and other aquatic invertebrates	EC50: >100 mg/l / 96 h	Daphnia magna (Water flea)
algae	EC50: >100 mg/l / 72 h	Pseudokirchneriella subcapitata (Green algae) Method: OECD test guideline 201

Information on component Borax decahydrate

Toxicity to	Value / exposure time	Species
fish	LC50: 447 mg/l / 96 h	Oncorhynchus kisutch (Coho salmon)
	NOEC: 13 mg/l / 96 d	Danio rerio (Zebra fish)
daphnia and other	EC50: 133 mg/l / 48 h	Daphnia magna (Water flea)
aquatic invertebrates	NOEC: 18 mg/l / 14 d	
algae	NOEC: 50 mg/l / 10 d	Dunaliella tertiolecta
bacteria	EC50: >175 mg/l / 3 h	Method: OECD test guideline 209

12.2. Persistence and degradability:

Information on component Sodium benzoate: Biodegradability: Biodegradation: 85 % (28 d), method: OECD test guideline 301 A. Result: rea-

dily biodegradable.

12.3. Bioaccumulative potential:

Information on component Sodium benzoate: Partition coefficient

n-octanol/ H_20 : log P_{ow} : -2.27.

Information on component Borax decahydrate: Partition coefficient

n-octanol/H₂0: log P_{ow}: -1.53.

12.4. Mobility in soil:

No data available.

12.5. Results of PBT and vPvB assessment:

The product does not contain a substance fulfilling the PBT criteria (persistent/bioaccumulative/toxic) or the vPvB criteria (very persistent/very

bioaccumulative).

12.6. Other adverse effects:

No data available.

12.7. Further information:

No further information.

TYFOROP Safety Data Sheet Version: 2.0, ID-No.: 24130-b-01_GB-GB Revision date: 01.12.2015 Product: TYFOCOR® L - ready mixed 45.3 vol. %, frost protection -30.0 °C Page 7/8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose of in accordance with local regulations.

According to the European Waste Catalogue (EWC), waste codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Contaminated packaging: Dispose of as the product. Empty containers should be taken to an ap-

proved waste handling site for recycling or disposal.

SECTION 14: Transport information

	ADR/ RID	ADN	IMDG	IATA/ ICAO
	Not classified as a dangerous good under transport regulations			
14.1. UN number	-	-	-	-
14.2. UN proper shipping name	-	_	-	-
14.3. Transport hazard classes	-	-	-	-
14.4. Packing group	-	-	-	-
14.5. Environmental hazards	-	_	-	-
14.6. Special precautions for user	-	-	-	-

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not evaluated.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance/mixture

Legal basis	Remark / Evaluation
Regulation (EC) No. 649/2012 of the European Parliament and the Council concerning the export and import	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59)	Borax decahydrate
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer	Not applicable
Regulation (EC) No. 850/2004 on persistent organic pollutants	Not applicable
Seveso III - Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances	Not applicable

Other regulations

No further information.

15.2. Chemical Safety Assessment

A Chemical Safety Assessment was not carried out for the product.

SECTION 16: Other information

Full text of the abbreviations of classifications, H-Statements and R-Phrases used in sections 2 and 3

Repr. 1B Reproductive toxicity, Category 1B

Eye Irrit. 2 Eye irritation, Category 2 H319 Causes serious eye irritation

H360FD May damage fertility. May damage the unborn child

T Toxic Xi Irritant

Repr. Cat. 3 Reprotoxic substances, Category 2

R36 Irritating to eyes

TYFOROP Safety Data Sheet Version: 2.0, ID-No.: 24130-b-01_GB-GB Revision date: 01.12.2015 Product: TYFOCOR® L - ready mixed 45.3 vol. %, frost protection -30.0 °C Page 8/8

SECTION 16: Other information - Continuation

R60 May impair fertility

R61 May cause harm to the unborn child

Other abbreviations used in this safety data sheet in alphabetical order

ADN European agreement concerning the international carriage of dangerous

goods by inland waterways

ADR European agreement concerning the international carriage of dangerous

goods by road

ASTM American Society for Testing and Materials
CAS number Chemical Abstracts Service number

CLP Regulation (EC) No. 1272/2008 on classification, labeling and packaging

of chemical substances and mixtures

DIN German Institute for Standardisation/German Industrial Standard

DNEL Derived No Effect Level

DPD Dangerous Preparations Directive 1999/45/EC DSD Dangerous Substance Directive 67/548/EEC

EC50 Median Effective Concentration

EC number EINECS number (European Inventory of Existing Substances) or ELINCS

number (European List of Notified Chemical Substances)

GB EH40 UK EH40 WEL - Workplace Exposure Limits

GB EH40 TWA Long-term exposure limit (8-hour TWA reference period)

IATA International Air Transport Association

IBC International Bulk Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods Code

INDEX number Identification code for hazardous substances, Annex VI of Regulation (EC)

No. 1272/2008

ISO International Organisation for Standardisation/International Standard

LC50 Median Lethal Concentration

LD50 Median Lethal Dose

LOAEL Loewest Observed Adverse Effect Level

MARPOL International Convention for the Prevention of Marine Pollution from Ships

NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration

OECD Organisation for Economic Cooperation and Development

PNEC Predicted No Effect Concentration

REACH Regulation (EC) No. 1907/2006 on Registration, Evaluation, Authorisation

and Restriction of Chemicals

RID Regulation concerning the international carriage of dangerous goods by rail

Further information

Sources of key data used to compile the safety data sheet: Internal technical data, data from component SDS, OECD eChem Portal search results and European Chemicals Agency [ECHA].

Revision date: 01.12.2015 Date of previous version: 01.11.2014

Vertical lines in the left hand margin indicate an amendment from the previous version.

The information provided in this safety data sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific product identified at the top of this SDS and may not be valid when the SDS product is used in combination with any other materials or in any process, unless specified in the text. Product users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS product in the user's end product, if applicable.