

No. 1907/2006 (REACH)

revision 04/03/2019 (GB) Version 1.9

# **CHLORILONG POWER 5 BLOC MINI C.2**

414672

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product CHLORILONG POWER 5 BLOC MINI C.2

414672

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Product categories [PC]

PC8 - Biocidal products (e.g. Disinfectants, pest control)

Recommended intended purpose(s)

Algicide for treatment of pool water.

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor Interbayrol GmbH c/o KD-Zug-Treuhand AG

Untermüli 7, CH-6304 Zug Phone +41 41 7662650 Internet www.bayrol.com

**Advice** 

E-mail (competent person):

PPette@bayrol.eu

1.4. Emergency telephone number

Emergency advice Tox. Informationszentrum CH:

Phone 145

NCEC, Phone (+44)(0)1865407333

# **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Eye Dam. 1 H318

**Aquatic Acute 1** 

Aquatic Chronic 1 H410

**Hazard Statements** 

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]





GHS05

GHS09



No. 1907/2006 (REACH)

revision 04/03/2019 (GB) Version 1.9

# **CHLORILONG POWER 5 BLOC MINI C.2**

414672

# Signal word

Danger

#### **Hazard Statements**

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary Statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P338 easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

## Hazardous ingredients for labeling

Aluminum sulfate 14 - hydrate

#### 2.3. Other hazards

#### Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

not applicable

# 3.2. Mixtures

#### **Hazardous ingredients**

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
497-19-8	207-838-8	sodium carbonate	< 10	Eye Irrit. 2, H319
16828-12-9	233-135-0	Aluminum sulfate 14 - hydrate	< 10	Eye Dam. 1, H318
25988-97-0		Polymer of N-Methylmethanamine with (chloro methyl)oxirane	17,3	Acute Tox. 4, H302 / Aquatic Acute 1, H400 M=10 / Aquatic Chronic1, H410 M=1 /
REACH				
CAS No	Name			REACH registration number
497-19-8	sodium carb	oonate		01-2119485498-19-XXXX
16828-12-9	Aluminum s	ulfate 14 - hydrate		01-2119531538-36-XXXX

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

Symptoms of poisoning may not occur for hours, therefore medical supervision for at least 48 hours necessary. Adhere to personal protective measures when giving first aid.



revision 04/03/2019 (GB) Version 1.9

# **CHLORILONG POWER 5 BLOC MINI C.2**

414672

#### In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

#### In case of eve contact

Eye rinsing with water carefully while protecting unhurt eye.

Rinse immediately with plenty of water for at least 15 minutes.

Refer to medical treatment.

#### In case of ingestion

Do not induce vomiting.

Refer to medical treatment.

Rinse out mouth and give plenty of water to drink.

# 4.2. Most important symptoms and effects, both acute and delayed

## Physician's information / possible dangers

risk of strong eye injuries

# 4.3. Indication of any immediate medical attention and special treatment needed

#### **Treatment (Advice to doctor)**

Treat symptoms.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

wate

Product does not burn, fire-extinguishing activities according to surrounding.

Foam

Dry fire-extinguishing substance

Carbon dioxide

sand

## 5.2. Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

## 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

## **Additional information**

Cool endangered containers with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



NO. 1907/2006 (REACH)
revision 04/03/2019 (GB) Version 1.9

**CHLORILONG POWER 5 BLOC MINI C.2** 

#### 414672

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protective clothing.

High risk of slipping due to leakage/spillage of product.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material.

Flush away residues with water.

## 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8 Emergency telephone number: see section 1

# ! SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures necessary if used correctly.

# General protective measures

Avoid contact with eyes and skin

# Hygiene measures

Do not eat or drink when working.

Keep away from food and drink.

Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

The product is not combustible.

No special measures necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in original container.

# Advice on storage compatibility

Do not store with oxidizing agents.

Do not store together with animal feedstuffs.

Do not store together with food.

#### ! Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Protect from heat and direct solar radiation.

# Information on storage stability

Storage time: 5 years.

Storage group 13



No. 1907/2006 (REACH)

revision 04/03/2019 (GB) Version 1.9

**CHLORILONG POWER 5 BLOC MINI C.2** 

414672

7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No information available.

## 8.2. Exposure controls

# **Respiratory protection**

In case of dust formation wear micro dust mask.

#### Hand protection

chemical-resistant gloves

Suitable materials (recommended: protection index 6, >480 minutes permeation time according to EN 374)

Nitrile-butadiene rubber (NBR) - 0.4 mm layer thickness

Butyl rubber (butyl) - 0.7mm layer thickness

In view of the many different types, the manufacturers' directions for use must be followed

# Eye protection

Safety goggles EN 166: 2001

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

AppearanceColourOdourgranulesbluecharacteristic

## **Odour threshold**

not determined

## Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	ca. 7	20 °C	10 g/l		
Boiling temperature / boiling range	not determined				
Melting point / Freezing point	not determined				
Flash point	not applicable				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				



No. 1907/2006 (REACH)

revision 04/03/2019 (GB) Version 1.9

# **CHLORILONG POWER 5 BLOC MINI C.2**

414672

	Value	Temperature	at	Method	Remark
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	1,5 g/cm3				
Vapour density	not determined				
Solubility in water					soluble
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				
Oxidising properties No information available.					
Explosive properties No information available.					
<b>9.2. Other information</b> No information available.					

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No information available.

# 10.2. Chemical stability

No information available.

# 10.3. Possibility of hazardous reactions

No information available.

## 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials Substances to avoid

Reactions with strong oxidising agents.

# 10.6. Hazardous decomposition products



No. 1907/2006 (REACH)

revision 04/03/2019 (GB) Version 1.9

# **CHLORILONG POWER 5 BLOC MINI C.2**

414672

Thermal decomposition

Remark No decomposition if used as directed.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	No data available			

Eye irritation risk of strong eye

injuries

# **Subacute Toxicity - Carcinogenicity**

	Value	Species	Method	Validation
Reproduction-	No data available			
Toxicity				

Toxicity

Carcinogenicity

No data available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

	Value	Species	Method	Validation	
Fish	LC50 0,077 g/m3 (96 h)	Oncorhynchus mykiss	OECD 203		
Daphnia	EC50 0,14 g/m3 (48 h)	Daphnia magna	OECD 202		
12.2. Persist	ence and degradability  Elimination rate	Method of analysis	Method	Validation	

# Physico-chemical

degradability

The product can be largely eliminated from the water by abiotic processes, e.g. adsorption to activated

# 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects



No. 1907/2006 (REACH)

revision 04/03/2019 (GB) Version 1.9

# **CHLORILONG POWER 5 BLOC MINI C.2**

414672

#### Behaviour in sewage plant

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely.

#### General regulation

Product is not allowed to be discharged into the ground water or aquatic environment.

Marine pollutant (according to IMDG-code)

The ecological figures refer to undiluted 100% pure substance.

The information to ecology refers to main component.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Recommendations for the product

Remove in accordance with local official regulations.

There are no harmonised regulations on the disposal of chemicals in the member states of the EU. In Germany the Recycling and Waste Management Act (KrWG) stipulates recycling as a requirement.

The product should not be allowed to enter drains, water courses or the soil.

#### Recommendations for packaging

Uncontaminated packaging may be taken for recycling.

## Recommended cleansing agent

Water

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	3077	3077	3077
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N. O.S. (Polymer of N- Methylmethanamine with (chloro methyl)oxirane)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Polymer of N- Methylmethanamine with (chloro methyl)oxirane)	Environmentally hazardous substance, solid, n.o.s. (Polymer of N-Methylmethanamine with (chloro methyl)oxirane)
14.3. Transport hazard class(es)	9	9	9
14.4. Packing group	III	III	III
14.5. Environmental hazards	Yes	Yes	Yes

# 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

# Land and inland navigation transport ADR/RID

Hazard label(s) 9 tunnel restriction code -

Classification code M7

Classification code in/

## **Marine transport IMDG**

MARINE POLLUTANT



revision 04/03/2019 (GB) Version 1.9

# **CHLORILONG POWER 5 BLOC MINI C.2**

414672

# ! SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture ! Other regulations (EU)

Please note:

Observe regulation 98/24/EC for employee health protection against the threat of chemical substances in the workplace.

#### **National regulations**

#### Restriction of occupation

Observe employment restrictions for young people.

Observe employment restrictions for mothers-to-be and nursing mothers.

## Other regulations, restrictions and prohibition regulations

ZH 1/81 "Data Sheet for hazardous chemical substances"

ZH 1/124 "Plant instructions for working with hazardous substances (A 010)"

ZH 1/132 "Data Sheet: Skin protection (M 042)"

ZH 1/175 "Data Sheet for First Aid due to inluence of hazardous chemical substances"

ZH 1/192 "Data Sheet for eye protection"

ZH 1/129 "Data Sheet: Irritating substances / corrosive substances (M 004)"

Water hazard class

3

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

# Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

#### **Further information**

Refer to product information paper.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.8

#### Sources of key data used

Results of own researches and examinations

Literature informations

Toxicity studies, NIOSH-Tox-Data

National legislation and regulation

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.



No. 1907/2006 (REACH)

Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Name of product CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC

Mini C.1

Rec Nr: 414848

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

# Product categories [PC]

PC8 - Biocidal products

## Recommended intended purpose(s)

Disinfection, oxidation, algae prevention, flocculation and hardness stabilizer of pool water

# 1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor BAYROL Deutschland GmbH

Robert-Koch-Str. 4, D-82152 Planegg

Phone +49 (0) 89 85701-0

**Advice** 

E-mail (competent person):

SDS@bayrol.eu

1.4. Emergency telephone number

NCEC, Phone (+44)(0)1865407333

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard

Hazard Statements Classification procedure

categories

Acute Tox. 4

Eye Dam. 1 H318 STOT SE 3 H335

Aquatic Acute 1

Aquatic Chronic 1 H410

## **Hazard Statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements



No. 1907/2006 (REACH)

Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

# Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]







GHS05

GHS07

GHS09

#### Signal word

Danger

#### **Hazard Statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary Statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P270 Do no eat, drink or smoke when using this product.

P280 Wear protective gloves/eye protection.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P338 easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

# Hazardous ingredients for labelling

Aluminum sulfate 14 - hydrate, symclosene

#### Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

#### Special rules for supplemental label elements for certain mixtures

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

# 2.3. Other hazards

Preparation contains CMR-substance at concentration levels just below those that require special labelling.

# Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

not applicable

#### 3.2. Mixtures



No. 1907/2006 (REACH)

Revision 03/06/2020 (GB) Version 4.3

# CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

Hazardous i	ngredients			
CAS No	EC No	Name	[%]	Classification according to Regulation (EC No 1272/2008 [CLP/GHS]
87-90-1	201-782-8	symclosene	81,6	Ox. Sol. 2, H272 / Acute Tox. 4, H302 / Eye Irrit. 2, H319 / STOT SE 3, H335 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410
10043-35-3	233-139-2	boric acid	4,9	Repr. 1B, H360FD
16828-12-9	233-135-0	Aluminum sulfate 14 - hydrate	< 10	Eye Dam. 1, H318
REACH				
CAS No	Name			REACH registration number
10043-35-3	boric acid			01-2119486683-25-XXXX
16828-12-9	Aluminum s	ulfate 14 - hydrate		01-2119531538-36-XXXX

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

## **General information**

Remove contaminated soaked clothing immediately.

Symptoms of poisoning may not occur for hours, therefore medical supervision for at least 48 hours necessary. Adhere to personal protective measures when giving first aid.

#### In case of inhalation

Remove the casualty into fresh air and keep him immobile.

Refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

#### In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes.

Keep eye wide open while rinsing.

Refer to medical treatment.

# In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

Rinse out mouth and give plenty of water to drink.

# 4.2. Most important symptoms and effects, both acute and delayed Physician's information / possible dangers

risk of strong eye injuries

May cause irritation of respiratory tract.

# 4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor)

Treat symptoms.



Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media Suitable extinguishing media

Large quantities of water Carbon dioxide sand

## Unsuitable extinguishing media

Small quantities of water foam

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2)

Nitrogen trichloride

Chlorine (Cl2)

#### 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.

#### **Additional information**

Cool endangered containers with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Ensure adequate ventilation.
Use personal protective clothing.
Keep away sources of ignition.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

# 6.3. Methods and material for containment and cleaning up

Take up mechanically and send for disposal.

#### **Additional Information**

Neutralize active chlorine with suitable materials (Sulphite, Thiosulphate or hydrogen peroxide aqueous solution)

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8 Emergency telephone number: see section 1



No. 1907/2006 (REACH)
Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

### General protective measures

Avoid contact with eyes and skin

Do not inhale dust.

#### Hygiene measures

At work do not eat, drink and smoke.

Keep away from food and drink.

Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Keep at distance of acids, reducing agents and organic substances (e.g.wood, paper, fat).

Avoid entering of water in shortage.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in original container.

#### Advice on storage compatibility

Do not store with acids.

Do not store with combustible materials.

Do not store together with animal feedstuffs.

Do not store together with food.

## Further information on storage conditions

Keep container dry, tightly closed and store at cool and aired place.

## Information on storage stability

Storage time: 5 years.

Storage group 13

#### 7.3. Specific end use(s)

# Recommendation(s) for intended use

See section 1.2

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

# Respiratory protection

In case of dust formation wear micro dust mask.

#### Hand protection

chemical-resistant gloves

Suitable materials (recommended: protection index 6, >480 minutes permeation time according to EN 374)

Nitrile-butadiene rubber (NBR) - 0.4 mm layer thickness

Butyl rubber (butyl) - 0.7mm layer thickness

In view of the many different types, the manufacturers' directions for use must be followed

## Eye protection

Safety goggles

EN 166



No. 1907/2006 (REACH)

Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

Odour

414848

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Appearance Colour

tablet white typical, pungent

Odour threshold not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	2,8	20 °C	10 g/l		
Boiling temperature / boiling range	not determined				
decomposition point	240 - 250 °C				
Flash point	not determined				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	1,7 g/cm3				
Vapour density	not determined				
Solubility in water	17,5 g/l	25 °C			
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				



Revision 03/06/2020

ion 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

### **Oxidising properties**

No information available.

## **Explosive properties**

No information available.

#### 9.2. Other information

No information available.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Thermal decomposition can lead to the escape of irritating gases and vapours.

#### 10.2. Chemical stability

Decomposition temperature:

240°C - 250°C

#### 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gases.

#### 10.4. Conditions to avoid

Reactions with combustible substances.

Reactions with acids.

Reactions with fats and oils.

Reactions with impurities.

Reactions with organic substances.

# 10.5. Incompatible materials Substances to avoid

Oil

Acid

#### 10.6. Hazardous decomposition products

Nitrogen trichloride

Nitrous oxides (NOx)

Hydrogen chloride (HCI)

Chlorine

## **Additional information**

Product may cause bleaching textiles, liners, paintings etc. Chlorine gas may decompose metals and is corrosive.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	598 mg/kg	rat		Information concerns to main component.
LD50 acute dermal	> 2000 mg/kg	rabbit	IUCLID	
Eye irritation	irritant			



No. 1907/2006 (REACH)

Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

#### **Experiences made from practice**

Irritates respiratory tract.

Irritates mucous membranes.

#### **Additional information**

The product has not been tested. The information is derived from the properties of the individual components.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicological effects** 

LCOTOXICOIO	Value	Species	Method	Validation	
Fish	LC50 < 1 mg/l (96 h)	Lepomis macrochirus			
Daphnia	EC50 < 1 g/m3 (48 h)	Daphnia magna			

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

# 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

# **General regulation**

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

# Recommendations for the product

Remove in accordance with local official regulations.

There are no harmonised regulations on the disposal of chemicals in the member states of the EU. In Germany the Recycling and Waste Management Act (KrWG) stipulates recycling as a requirement.

#### Recommendations for packaging

Uncontaminated packaging may be taken for recycling.

## Recommended cleansing agent

Water

# **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	3077	3077	3077



No. 1907/2006 (REACH)

Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

	ADR/RID	IMDG	IATA-DGR
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N. O.S. (symclosene)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (symclosene)	Environmentally hazardous substance, solid, n.o.s. (symclosene)
14.3. Transport hazard class(es)	9	9	9
14.4. Packing group	III	III	III
14.5. Environmental hazards	Yes	Yes	Yes

#### 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

# Land and inland navigation transport ADR/RID

Hazard label(s) 9

Tunnel restriction code -

Classification code M7

#### Marine transport IMDG

MARINE POLLUTANT

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Other regulations (EU)

Please note:

Observe regulation 98/24/EC for employee health protection against the threat of chemical substances in the workplace.

## **National regulations**

## **Restriction of occupation**

Observe employment restrictions for young people.

Observe employment restrictions for mothers-to-be and nursing mothers.

# Other regulations, restrictions and prohibition regulations

ZH 1/81 "Data Sheet for hazardous chemical substances"

ZH 1/124 "Plant instructions for working with hazardous substances (A 010)"

ZH 1/132 "Data Sheet: Skin protection (M 042)"

ZH 1/175 "Data Sheet for First Aid due to inluence of hazardous chemical substances"

ZH 1/192 "Data Sheet for eye protection"

ZH 1/129 "Data Sheet: Irritating substances / corrosive substances (M 004)"

Water hazard class

2

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Revision 03/06/2020 (GB) Version 4.3

CHLORILONG POWER 5 BLOC; CHLORILONG POWER 5 BLOC Mini C.1

414848

# **SECTION 16: Other information**

# **Recommended uses and restrictions**

National and local regulations concerning chemicals shall be observed.

#### **Further information**

Refer to product information paper.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

# Sources of key data used

Results of own researches and examinations

Literature informations

Toxicity studies, NIOSH-Tox-Data

National legislation and regulation

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360FD	May damage fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively
	proven that no other routes of exposure cause the hazard).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.