

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: FERMITEX
- · UFI: 2A70-60F3-000S-20U0
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Tube cleaner/ pipe cleaning agent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Fermit GmbH Zur Heide 4.

D- 53560 Vettelschoß

www.fermit.de

· Informing department:

Tel.: +49 (0) 2645-2207 Fax: +49 (0) 2645-3113 Email: info@fermit.de

• 1.4 Emergency telephone number: Tel.: +49 (0) 2645-2207

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

sodium hydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

(Contd. from page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

Trade name: FERMITEX

P501

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Additional information:

Packaging of whatever capacity that is delivered to the general public shall be fitted with a tactile warning of danger according to EN ISO 11683.

Packaging of whatever capacity supplied to the general public shall be fitted with child-resistant fastenings.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Chemical pipe cleaning agent of sodium hydroxide and aluminium grit.

· Dangerous components:	omponents:		
CAS: 1310-73-2	sodium hydroxide	50 - 100%	
EINECS: 215-185-5	Skin Corr. 1A, H314		
Reg.nr.: 01-2119457892-27-X	Specific concentration limits:		
	Skin Corr. 1A; H314: C ≥ 5 %		
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %		
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %		
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %		
CAS: 7429-90-5	aluminium	< 2.5%	
EINECS: 231-072-3	substance with a Community workplace exposure limit		
Reg.nr.: 01-211 952 9243-45-X			

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing contaminated by the product.
- · After inhalation Supply fresh air and call for doctor for safety reasons.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.

Call a doctor immediately.

· After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor. Avoid vomiting.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
   No further relevant information available.

GB

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

Trade name: FERMITEX

(Contd. from page 2)

### SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

The product itself does not burn.

Use fire fighting measures that suit the environment.

If place of fire permits, extinguish dry, if possible.

- For safety reasons unsuitable extinguishing agents Water.
- 5.2 Special hazards arising from the substance or mixture

Strongly alkaline solutions originate from the use of water for fire fighting.

- · 5.3 Advice for firefighters
- · Protective equipment:

In case of fire wear breathing equipment being independent of ambient air and suit provided full protection against chemicals.

· Additional information Provide for sufficient reservoirs for water for fire fighting.

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid causing dust.

Avoid contact with the product.

Product forms slippery surface when combined with water.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Collect mechanically and disposal in suitable containers.

Complete cleaning with water.

Absorb dryly, if possible, and avoid dust. Use lots of water to clean the place of the accident.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Thorough dedusting.

When diluting, always stir the product into standing water.

Avoid contact with eyes and skin.

Carry out filling operations only at sites with extractors available.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers:

Provide alkali-resistant floor.

Provide for wash facilities.

Aluminium, lead, tin and zinc are inappropiate for the use as tank materials.

#### Information about storage in one common storage facility:

Do not store together with acids.

Avoid contact with ammonium salts.

### · Further information about storage conditions:

Keep container tightly sealed.

This product is hygroscopic.

Store at dry and cool places.

At contact with humidity extremely flammable hydrogen gas can be formed.

(Contd. on page 4)

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

**Trade name: FERMITEX** 

(Contd. from page 3)

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

#### Components with limit values that require monitoring at the workplace:

WEL: workplace exposure limit OEL: Occupational Exposure Limit

#### 1310-73-2 sodium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>

#### 7429-90-5 aluminium

WEL (Great Britain) Long-term value: 10\* 4\*\* mg/m³
\*inhalable dust \*\*respirable dust

#### · DNELs

#### 1310-73-2 sodium hydroxide

Inhalative DNEL (worker, long-term, local) 1 mg/m³ (human)

DNEL (consumer, long-term, local) 1 mg/m³ (human)

1 mg/m³ (human)

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off all contaminated clothing immediately.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Approved dust respirators must be used for dusty conditions or if dust levels exceed established standards.

#### · Protection of hands:

Alkaline resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

# • For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR

#### · Eye protection:



Tightly sealed safety glasses.

· **Body protection:** Alkaline resistant protective clothing

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

Trade name: FERMITEX

(Contd. from page 4)

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: granular

Solid substance in the form of pearls.

Colour: Light grey odourless

· **pH-value (100 g/l) at 20 °C:** >14 (NaOH)

· Change in condition

Melting point/freezing point: 319 °C (NaOH)
Initial boiling point and boiling range: 1390 °C (NaOH)

· Flash point: Not applicable Inflammability (solid, gaseous) Product is not inflammable. · Explosive properties: Product is not explosive. · Vapour pressure at 800 °C: 3.5 hPa (NaOH) · Density at 20 °C 2.13 g/cm3 (NaOH) · Solubility in / Miscibility with Water at 20 °C: 420 g/l (NaOH) · Solvent content: Organic solvents: 0.0 %

100.0 %

Product is hygroscopic.

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Solids content:
9.2 Other information

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Strongly reacts with water, acids and base metals like aluminium, magnesium, zinc (development of hydrogen).

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Inflammable gases/vapours

Hydrogen

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

1310-73-2 sodium hydroxide

Inhalative LC50 0.75 mg/l/2h (rat)

(Contd. on page 6)

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

**Trade name: FERMITEX** 

(Contd. from page 5)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology):

After the breathing in of fine vapours as they may e.g. be released during the solution, large-size injuries of the mucous membranes occur in the upper respiratory dusts. Mucous membranes and eyes may be affected by the formation of bubbles, ulceration and nebula which may result in blindness.

On the skin NaOH may result in serious destructions of tissue accompanied by heavy pain.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

· 12.1 Toxicity

	· Aquatic toxicity:		
	LC50	189 mg/l (Leuciscus idus)	
1310-73-2 sodium hydroxide			
EC50 (static) 145 mg/l/24h (Poecilia reticulata)		145 mg/l/24h (Poecilia reticulata)	
	EC50	40.4 mg/l/48h (Ceriodaphnia dubia)	

- 12.2 Persistence and degradability No further relevant information available.
- · Other information: The product is easily biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Other information Does not cause biological exploitation of oxygen.
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

The waste code numbers mentioned are recommendations based on the probable use of the product.

(Contd. on page 7)

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

Trade name: FERMITEX

Must be specially treated under adherence to official regulations.

(Contd. from page 6)

	European waste catalogue		
ŀ	06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES	
	06 02 00	wastes from the MFSU of bases	
	06 02 04	sodium and potassium hydroxide	

- · Uncleaned packagings:
- · Recommendation:

Cleaned packing materials have to be admitted to local recycling circuits.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

Disposal must be made according to official regulations.

Recommended cleaning agent: water

<b>SECTION 14:</b>	<b>Transport</b>	information
--------------------	------------------	-------------

· 14.1 UN-Number

· ADR/ADN, IMDG, IATA UN1823

14.2 UN proper shipping name

· ADR/ADN

1823 SODIUM HYDROXIDE, SOLID

• IMDG, IATA

1823 SODIUM HYDROXIDE, SOLID

· 14.3 Transport hazard class(es)

· ADR/ADN



· *Class* 8 (C6) Corrosive substances.

· Label

· IMDG, IATA



· *Class* 8 Corrosive substances.

· Label 8

· 14.4 Packing group · ADR/ADN, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Kemler Number:
EMS Number:
Segregation groups
Stowage Category

80
F-A,S-B
Alkalis
A

· Segregation Code SG35 Stow "separated from" SGG1-acids

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

(Contd. on page 8)

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

Trade name: FERMITEX

	(Contd. from page
· Transport/Additional information:	
· ADR/ADN · Limited quantities (LQ) · Excepted quantities (EQ)	1 kg Code: E2
· Transport category · Tunnel restriction code	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g 2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H314 Causes severe skin burns and eye damage.

#### · Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,

phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

(Contd. on page 9)

Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.12.2019 Version number 5 Revision: 18.12.2019

Trade name: FERMITEX

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* Data compared to the previous version altered.

(Contd. from page 8)

GB