



Installation rack single

Installation rack double
incl. accessories, mounting bracket

Installation rack WG-TEC 3000 - the future oriented installation rack with special benefits

The advantages of the WG-TEC 3000 installation racks and of the mounting thread

- Minimum time for installation
- The best thermal conductivity guaranteed, acc. to DIN 52612
- Alternative: all racks available with DVGW approved valves
- Unique: expandable polystyrol with flame retardants, acc. to the fire protection class B1
- Tile installation without previous surface treatment
- Space-saving type with compact installation size
- Minimal storage: the "double" type can be divided into the "single" type



Installation thread
the cost effective alternative




The WG-TEC installation racks contain the following parts:

- 1 or 2 pcs. concealed valves 3/4" incl. protection cap
- 1 or 2 pcs. in-wall housings 3/4" incl. protection cap
- 4 mounting brackets and screws
- Coating out of expandable polystyrol

The WG-TEC installation thread contains the following parts:

- 1 pc. concealed valve 3/4" incl. protection cap
- 1 pc. in-wall housing 3/4" incl. protection cap

All installation racks and installation threads are ready to connect and tested for leakage with 20 bar.



Mounting accessories




Example of mounting incl. mounting brackets



Separation of the installation rack (into a single rack) with a common handsaw

Technical data





**Our installation racks are not product related.
It's your own decision what inserts you want to choose.**

Brass execution with standard valve

Type:	Installation rack double		Installation rack single		Installation thread	
	Order no.	EAN-Code	Order no.	EAN-Code	Order no.	EAN-Code
WASSER-GERÄTE	33712	4029376337127	32712	4029376327127	35712	4029376357125
ABB	33713	4029376337134	32713	4029376327134		
ALLMESS	33714	4029376337141	32714	4029376327141		
METRONA	33717	4029376337172	32717	4029376327172		
POLLUMUK	33719	4029376337196	32719	4029376327196		
KOAXIAL	33722	4029376337226	32722	4029376327226	35722	4029376357224

Further types on demand

Brass execution with DVGW valve

Type:	Installation rack double		Installation rack single		Installation thread	
	Order no.	EAN-Code	Order no.	EAN-Code	Order no.	EAN-Code
WASSER-GERÄTE	33812	4029376338124	32812	4029376328125	35812	4029376358122
ABB	33813	4029376338131	32813	4029376328132		
ALLMESS	33814	4029376338148	32814	4029376328149		
METRONA	33817	4029376338179	32815	4029376328156		
POLLUMUK	33819	4029376338193	32816	4029376328163		
TECHEM	33820	4029376338209	32820	4029376328200		
KOAXIAL	33822	4029376338223	32822	4029376328224	35822	4029376358221

Further types on demand

Red brass execution with standard valve

Type:	Installation rack double		Installation rack single		Installation thread	
	Order no.	EAN-Code	Order no.	EAN-Code	Order no.	EAN-Code
KOAXIAL	31722	4029376317228	34722	4029376347225	36722	4029376367223

Further types on demand

Installation thread incl. valve (brass/red brass) comply with TWVO DIN 50930-6





The useful accessories for the WG-TEC installation racks and the installation thread

Valve surface set



Type: VT OT	VE	Order No.	EAN-Code	overall length mm
cold/warm water	1	34001	4029376340011	70
Extension sleeve	1	34003	4029376340035	70
Extension sleeve	1	35003	4029376340034	43
cold/warm water	1	35001	4029376350010	43



In-wall compact meter for
modular radio system (ECO)

The intelligent measuring
capsule system: Unimeter



Extension
20 mm / 40 mm



You can find the suitable in-wall measuring inserts for our installation racks and installation threads in our product overview on page 23-25.

Our product overview can also be downloaded from our website.

